





# ## STINGRAY we make the boat, you make the memories









CSI / Certifications / Z-Plane Hull

3 **About Stingray** 

4-21 **Bowrider Models** 

4-5 185LS/LX Bowrider

6-7 195FX Fish & Ski

8-9 195LS/LX Bowrider

10-11 195RX Bowrider

12-13 208LR Sport Deck 14-15 215LR Sport Deck

16-17 225LR Bowrider

18-19 235LR Sport Deck

20-21 250LR Bowrider

22-35 Cuddy / Cruiser Models

22-23 195CS/CX Cuddy

24-25 208CR Sport Deck Cuddy

26-27 215CR Sport Deck Cuddy

28-29 225CR Cuddy

30-31 235CR Sport Deck Cuddy

32-33 250CR Cuddy

34-35 250CS Cruiser

36-37 Sportboat Model

36-37 225SX Sportboat

38-41 Outboard Models

38-39 204LR Outboard 40-41 214LR Outboard

42-45 Standards & Options

46 Model Specifications

47 Hull Graphics / Gelcoat Colors

48 Canvas

49-51 Performance Comparisons

### CSI

The National Marine Manufacturers Association (NMMA) and member companies have developed the Marine Industry Customer Satisfaction Index (CSI) program to support the industry's goal of raising the bar on customer satisfaction.

CSI is an "added value" that you can not put a price tag on! It not only measures the quality of the boat, engine and the dealer, but the quality of the buying experience as well. And, it's not over when you submit the first survey—approximately six months later, when you have had time to put a few hours on your boat, you are able to measure all of us again!

Thanks to you, our products are continually evaluated and our processes enhanced to give you the highest level of customer satisfaction possible!

### CE CERTIFICATION

Stingray competes on a global scale and has dealerships located throughout the world from the Middle East throughout Europe, into Asia and Australia. Stingray boats destined for these countries must meet stringent standards prescribed by Consultants Europe (CE) and bear the CE mark.

### NMMA / USCG CERTIFICATION

All Stingray boats meet or exceed National Marine Manufacturer Association (NMMA) and US Coast Guard (USCG) certification

requirements for safety, such as horsepower,

load capacity, steering, fuel systems, compartment ventilation, navigation lighting, and backfire flame control.





### Z-PLANE HULL

The Stingray Z-plane hull is unparalleled in the industry. Developed on a CAD (Computer Aided Design) system, the hull design is unlike competitors' add-on lifting strakes. Stingray Z-planes act as horizontal planing faces when submerged; when very near the water's surface, the outside edge acts as a spray release, passing through the water with no bubbles or vortices. The smooth flow of water allows the propeller better bite during straight line speed and hard cornering maneuvers. Extending beneath the swim platform, the design allows for quicker planing and three-point contact with the water at faster speeds. This combination results in a quicker hole shot, industry leading top-end, and smooth handling at all speeds.



### ABOUT STINGRAY

Based in Hartsville, South Carolina, Stingray occupies over 225,000 square feet of manufacturing facilities and is situated on 46 acres.

#### INDEPENDENTLY OWNED

Stingray is a privately held, familyowned business, representing one of the longest continual ownerships in the marine industry today! Stingray has been building quality runabouts since 1979 based on some very basic principles: innovation, craftsmanship, and integrity. Because of our "independent" status, Stingray can react to changing market conditions in a much shorter cycle time than the larger corporate entities. This often leads to early recognition of shifts in consumer trends or demographics and thus designing products to meet those needs in a more proactive way.





#### **TECHNOLOGY DRIVEN**

For the past three decades, Stingray has pioneered many of the advances of technology in the boat building industry. Equipment and tools that were not available just a few years ago are now the mainstays that enable Stingray to achieve unparalleled precision and efficiency i.e., computer-aided designs, multi-axis 3-D milling machines, water jet cutting machines, and CNC routers, to mention a few.







#### **FINANCIALLY SOLID**

With Dun and Bradstreet's highest credit rating, Stingray is one of the most financially solid manufacturers in the industry. Stingray dealers and customers can depend on a strong partner to provide product innovation and customer support for years to come. We are proud of our debt-free status—a claim that few builders can make!

#### **VALUE AND QUALITY ORIENTED**

As one of the founding members of the American Boatbuilders Association (ABAboats.com), Stingray is in excellent company with Chaparral, Cobalt, Correct Craft, Ebbtide, Formula, Godfrey, Grady-White, Monterey, Pursuit, Regal, Rinker, and S2 Yachts. This is another assurance that you are receiving the highest quality materials available at the best possible price.

ABA members pool their expertise and resources to purchase only the best products and services

#### **ENVIRONMENTALLY RESPONSIBLE**

available.

Being a leader in technology is more than just a philosophy—it's a commitment designed to help ensure the preservation of our natural resources for generations to come. At Stingray, fuel efficiency, waste reduction, recycling, and reduced stack emissions are not just buzzwords—they are measured goals of each employee.











# 185<sub>L BOWRIDER</sub>

Our 185L models are a step up from the typical entry-level boat, featuring a sporty steering wheel, stainless steel bow rails, a pop-up bow cleat, springline cleats, backlit instruments, an aluminum dash panel with a low-profile shroud, and an acrylic bimini top. Compare before you buy...we think you will be pleased.

cm
cm
lbs
9 L
0 L

\* reference page 46

MAX CAPACITY 7 ppl, 1070 lbs | 485 kg
BOW DEPTH (bow to cushion) 14 in | 36 cm
COCKPIT DEPTH (at helm) 28 in | 71 cm
MAX DRAFT (drive down) 29 in | 74 cm
DEADRISE ANGLE 19 degrees
MAX HORSEPOWER 135





optional stereo upgrade





- □ 32 qt. cooler / storage box with drain
- marine audio system
- □ floor storage with oversize door
- □ acrylic bimini top with boot
- □ stainless steel bow rails
- premium 36 oz. stain resistant vinyl

- □ three-way adjustable helm seats
- □ three-step stainless steel boarding ladder
- □ stainless steel cleats, braces, and hardware
- safety glass windshield with side shields
- □ extended swim platform ❖
- ☐ fiberglass cockpit floor liner ❖







# 195<sub>FX</sub> FISH & SKI

Enjoy fishing and skiing? The 195FX can be converted quickly from one to the other. In fishing mode, seats are positioned for easy casting. Setup is easy; remove the cushions, retrieve and insert the seats, and you are ready to fish. With such versatility, you can fish in the morning and ski in the afternoon!





Trolling motor shown is an aftermarket item; the mounting surface will accept an array of aftermarket trolling motors and quick mounts.





#### **KEY FEATURES**

- □ 32 gt. cooler / storage box with drain
- marine audio system
- floor storage with oversize door
- □ acrylic bimini top with boot
- premium 36 oz. stain resistant vinyl
- □ bow filler cushion and tackle storage box
- □ aerated livewell

- trolling motor panel with dual battery box
- twin casting platform with pedestal seating
- □ three-way adjustable helm seats
- three-step stainless steel boarding ladder
- □ stainless steel pull-up cleats, braces, hardware
- □ extended swim platform ❖
- ☐ fiberglass cockpit floor liner ❖

 LENGTH
 19 ft, 6 in | 5.9 m

 BEAM
 91 in | 231 cm

 BRIDGE CLEARANCE
 49 in | 124 cm

 AVG DRY WEIGHT (w/ 4.3L)
 2672 lbs

 FUEL CAPACITY \*
 35 gal | 133 L

 ICE CAPACITY
 32 qt | 30 L

\* reference page 46

MAX CAPACITY 8 ppl, 1470 lbs | 666 kg
BOW DEPTH (bow to cushion) 15 in | 38 cm
COCKPIT DEPTH (at helm) 29 in | 74 cm
MAX DRAFT (drive down) 31 in | 79 cm
DEADRISE ANGLE 19 degrees
MAX HORSEPOWER 225

195FX - FISH







# 195<sub>L</sub> BOWRIDER

Looking to move up to a 19' bowrider? If so, take a look at our 195LS and 195LX models, which include lots of amenities as standard features. They are fast, too! The 195L reaches 60 mph with only a V-6 for power. That means both speed and fuel economy in the same boat!

LENGTH	19 ft, 6 in   5.9 m
BEAM	91 in   231 cm
BRIDGE CLEARANCE	47 in   119 cm
AVG DRY WEIGHT (w/ 4.3L)	2604 lbs
FUEL CAPACITY *	35 gal   133 L
ICE CAPACITY	32 qt   30 L

MAX CAPACITY 8 ppl, 1470 lbs | 666 kg BOW DEPTH (bow to cushion) 15 in | 38 cm **COCKPIT DEPTH** (at helm) 29 in | 74 cm MAX DRAFT (drive down) 31 in | 79 cm **DEADRISE ANGLE** 19 degrees **MAX HORSEPOWER** 225



- 3	-	24/
		1



optional stereo upgrade





- □ 32 qt. cooler / storage box with drain
- stainless steel bow rails
- marine audio system
- □ floor storage with oversize door
- acrylic bimini top with boot
- premium 36 oz. stain resistant vinyl
- □ three-way adjustable helm seats
- □ three-step stainless steel boarding ladder
- □ safety glass windshield with side shields
- □ stainless steel pull-up cleats, braces, hardware
- □ extended swim platform ❖
- □ fiberglass cockpit floor liner ❖







# 195<sub>RX</sub> BOWRIDER

The 195RX, our entry-level 19-footer, is priced to sell. It is for those who want the highest quality, most fuel efficient, and best performing boat in its class... at the best price. It still has more amenities than the competitions' models of similar size. Compare before you buy, and you will be happy that you did!

LENGTH	19 ft, 6 in   5.9 m
BEAM	91 in   231 cm
BRIDGE CLEARANCE	47 in   119 cm
AVG DRY WEIGHT	2290 lbs
FUEL CAPACITY *	21 gal   79 L
ICE CAPACITY	14 qt   13 L

MAX CAPACITY 8 ppl, 1470 lbs | 666 kg BOW DEPTH (bow to cushion) 15 in | 38 cm **COCKPIT DEPTH** (at helm) 29 in | 74 cm MAX DRAFT (drive down) 31 in | 79 cm **DEADRISE ANGLE** 19 degrees **MAX HORSEPOWER** 135





\* reference page 46







- □ bow storage
- stainless steel cleats
- floor storage with oversize door
- □ indirect LED interior lighting
- □ all weather marine carpet
- □ marine audio system

- □ premium 36 oz. stain resistant vinyl
- cooler / storage box with drain
- high output bilge blower
- □ three-way adjustable helm seats
- backlit instruments with circuit breakers
- □ ss multi-step boarding ladder

- power trim and tilt with indicator
- power steering (engine driven)
- □ cockpit and bow cover ❖
- □ ss sport trim tabs ❖





### 208 LR SPORT DECK

Our entry-level sport deck bowrider offers eight inches of extra cockpit width over the standard-width model it replaced; this translates to extra room inside for your passengers, without adding extra length to trailer. The 208LR is a perfectly sized bowrider for a weekend on the water with family and friends!

LENGTH	20 ft, 8 in   6.3 m
BEAM	99 in   250 cm
BRIDGE CLEARANCE	49 in   124 cm
AVG DRY WEIGHT (w/ 4.3L)	2825 lbs
FUEL CAPACITY *	35 gal   132 L
WATER CAPACITY �	6 gal   23 L
ICE CAPACITY	32+14 at   30+13

<sup>\*</sup> reference page 46

MAX CAPACITY 9 ppl, 1	1715 lbs   778 kg
BOW DEPTH (bow to cushio	n) 16 in   41 cm
COCKPIT DEPTH (at helm)	32 in   81 cm
MAX DRAFT (drive down)	34 in   86 cm
DEADRISE ANGLE	19 degrees
MAX HORSEPOWER	225











- □ 15" side-entry walkway
- deep bow and cockpit
- oversized cup holders
- □ floor storage with oversize door
- □ indirect LED interior lighting
- □ fiberglass cockpit floor liner
- □ 32 qt. and 14 qt. coolers / storage boxes with drain
- □ premium 36 oz. stain resistant vinyl
- marine high power audio system
- □ auto / manual 1100 gph bilge pump
- □ stand-up bimini top with boot
- □ stainless steel pull-up cleats, braces, hardware
- □ stainless steel bow and stern ladders
- □ cockpit table for entertaining ❖
- □ LCD bow and transom stereo remotes ❖
- □ bow and aft filler cushions ❖
- □ pressurized bow and transom showers ❖
- □ custom wakeboard tower ❖





### 215<sub>LR</sub> SPORT DECK

Like our other sport deck models, the 215LR's wide body offers more cockpit space than traditional boats of the same length. With a truly functional head, it's convenient to spend the day, or night, out on the water. The features on this boat are abundant. Stop by a local dealership and have a look for yourself.

LENGTH	21 ft, 11 in   6.7 m
BEAM	101 in   257 cm
BRIDGE CLEARANCE	58 in   147 cm
AVG DRY WEIGHT (w/ 5.0L)	3705 lbs
FUEL CAPACITY *	47 gal   178 L
WATER CAPACITY	13 gal   49 L
ICE CAPACITY	25+17 at   24+16 L

<sup>\*</sup> reference page 46

MAX CAPACITY 11 ppl, 2167 lbs | 983 kg BOW DEPTH (bow to cushion) 17 in | 43 cm **COCKPIT DEPTH** (at helm) 34 in | 86 cm MAX DRAFT (drive down) 34 in | 86 cm **DEADRISE ANGLE** 19 degrees **MAX HORSEPOWER** 270















- □ 15" side-entry walkway
- deep bow and cockpit
- floor storage with oversize door
- cockpit table for entertaining
- □ indirect LED interior lighting
- self-bailing fiberglass floor liner
- premium 36 oz. stain resistant vinyl
- enclosed head with vent window and lighting
- freshwater sink and refreshment area
- porta potti and self-contained holding tank
- □ stand-up bimini top with boot
- □ stainless steel pull-up cleats, braces, hardware
- stainless steel bow and stern ladders
- pressurized bow and transom showers
- □ auto / manual 1100 gph bilge pump
- □ LCD bow and transom stereo remotes ❖
- □ bow and aft filler cushions ❖
- □ custom wakeboard tower ❖





### 225<sub>LR</sub> BOWRIDER

The 225LR offers sportboat performance and styling with the roominess of a deck boat. A large, integrated swim platform and removable cushions lend way to a convenient step-thru entryway that makes this boat perfect for your favorite watersports activities.

LENGTH	22 ft, 11 in   7.0 m
BEAM	100 in   254 cm
BRIDGE CLEARANCE	52 in   132 cm
AVG DRY WEIGHT (w/ 5.0L)	3364 lbs
FUEL CAPACITY *	57 gal   216 L
WATER CAPACITY �	6 gal   23 L
ICE CAPACITY	32+25 at   30+24 L

<sup>\*</sup> reference page 46

MAX CAPACITY 10 ppl, 2080 lbs | 943 kg BOW DEPTH (bow to cushion) 20 in | 51 cm **COCKPIT DEPTH** (at helm) 33 in | 84 cm MAX DRAFT (drive down) 33 in | 84 cm **DEADRISE ANGLE** 20 degrees **MAX HORSEPOWER** 320











- □ wrap-around seating, step-thru entryway
- □ indirect LED interior lighting
- □ auto / manual 1100 gph bilge pump
- floor storage with oversize door
- □ 32 qt. cooler / storage box with drain
- □ removable 25 qt. cooler

- premium 36 oz. stain resistant vinyl
- fiberglass cockpit floor liner
- marine high power audio system
- □ table and pedestal (for bow or cockpit)
- transom mounted trim and tilt switch
- □ stainless steel pull-up cleats, braces, hardware
- oversized cup holders
- □ stand-up bimini top with boot
- □ LCD transom stereo remote ❖
- ☐ full canvas set ❖
- snap-in carpet ❖
- □ custom wakeboard tower ❖





### 235<sub>LR</sub> SPORT DECK

The wide, sport deck design creates plenty of interior space, lending way to a convenient side-entry walkway, a large sundeck, and a head compartment large enough to double as a changing room. A standard full fiberglass liner with overboard drains makes for easy cleanup at the end of the day.

LENGTH	23 ft, 11 in   7.3 m
BEAM	101 in   257 cm
BRIDGE CLEARANCE	58 in   147 cm
AVG DRY WEIGHT (w/ 5.0L)	4105 lbs
FUEL CAPACITY *	57 gal   216 L
WATER CAPACITY	13 gal   49 L
ICE CAPACITY	25+32 at   24+30 L

<sup>\*</sup> reference page 46

MAX CAPACITY 12 ppl, 2535 lbs | 1150 kg
BOW DEPTH (bow to cushion) 17 in | 43 cm
COCKPIT DEPTH (at helm) 34 in | 86 cm
MAX DRAFT (drive down) 34 in | 86 cm
DEADRISE ANGLE 19 degrees
MAX HORSEPOWER 320













- □ 15" side-entry walkway
- deep bow and cockpit
- floor storage with oversize door
- cockpit table for entertaining
- □ indirect LED interior lighting
- self-bailing fiberglass floor liner
- □ premium 36 oz. stain resistant vinyl
- enclosed head with vent window and lighting
- □ freshwater sink and refreshment area
- porta potti and self-contained holding tank
- □ stainless steel pull-up cleats, braces, hardware
- stainless steel bow and stern ladders

- □ stand-up bimini top with boot
- pressurized bow and transom showers
- □ auto / manual 1100 gph bilge pump
- □ LCD bow and transom stereo remotes ❖
- bow and aft filler cushions ❖
- □ custom wakeboard tower ❖





## 250 LR BOWRIDER

Sleek styling and lots of room for entertaining your friends—just what you would expect from a big bowrider. What might surprise you is that the 250LR reaches speeds in the mid-fifties with 320 horsepower.

LENGTH	25 ft   7.6 m
BEAM	102 in   259 cm
BRIDGE CLEARANCE	65 in   165 cm
AVG DRY WEIGHT (w/ 5.	OL) 4340 lbs
FUEL CAPACITY *	68 gal   257 L
WATER CAPACITY	17 gal   64 L
ICE CAPACITY 32+3	32+25 qt   30+30+24 L

<sup>\*</sup> reference page 46

MAX CAPACITY 10 ppl, 2265 lbs | 1027 kg BOW DEPTH (bow to cushion) 17 in | 43 cm **COCKPIT DEPTH** (at helm) 36 in | 91 cm MAX DRAFT (drive down) 34 in | 86 cm **DEADRISE ANGLE** 21 degrees **MAX HORSEPOWER** 320













optional filler cushions

- wrap-around seating
- deep bow and cockpit
- bow anchor storage
- □ 32 qt. cooler / storage box with drain
- □ removable 25 qt. cooler
- self-bailing fiberglass floor liner

- □ refreshment center with freshwater sink
- premium 36 oz. stain resistant vinyl
- □ table and pedestal (for bow or cockpit)
- □ stainless steel pull-up cleats, braces, hardware
- enclosed head with window and lighting
- porta-potti with self-contained holding tank
- pressurized water with transom shower
- □ stand-up bimini top with boot
- □ aft walk-thru and sunpad filler cushions
- □ marine high power audio system
- □ auto / manual 1100 gph bilge pump
- □ bow filler cushions ❖





# 195c CUDDY CABIN

Looking for an entry-level cuddy? The 195C is perfect for the young family that is just getting started in boating. An oversized entryway makes cabin access easy, and the cabin includes a molded fiberglass liner, porta potti, V-berth with lots of storage, and a screened aluminum deck hatch. It's great for overnighting!

LENGTH	19 ft, 6 in   5.9 m
BEAM	91 in   231 cm
BRIDGE CLEARANCE	52 in   132 cm
AVG DRY WEIGHT (w/ 4.3L)	2734 lbs
FUEL CAPACITY *	35 gal   133 L
ICE CAPACITY	46 qt   44 L

<sup>\*</sup> reference page 46

MAX CAPACITY 8 ppl, 1470 lbs | 666 kg

BOW DEPTH (bow to cushion) 25 in | 64 cm

COCKPIT DEPTH (at helm) 34 in | 86 cm

MAX DRAFT (drive down) 31 in | 79 cm

DEADRISE ANGLE 19 degrees

MAX HORSEPOWER 225









- □ 46 qt. cooler / storage box with drain
- marine audio system
- □ floor storage and cooler compartments
- convertible sun top with boot
- molded fiberglass cabin liner
- □ three-way adjustable helm seats

- □ stainless steel pull-up cleats, braces, hardware
- three-step stainless steel boarding ladder
- □ premium 36 oz. stain resistant vinyl
- □ extended swim platform ❖
- □ snap-in carpeting ❖
- □ full canvas set ❖





denotes optional feature



### 208 CR SPORT DECK

This may be our entry-level sport deck cuddy, but there is nothing small about this boat. Its extra wide stance makes room for a 15" side entryway to provide quick and easy boarding, while giving up little sundeck area. The wide body design continues in the cabin, where two adults can easily stretch out for a nap.

LENGTH	20 ft, 8 in   6.3 m
BEAM	99 in   250 cm
BRIDGE CLEARANCE	51 in   130 cm
AVG DRY WEIGHT (w/ 4.3L)	2925 lbs
FUEL CAPACITY *	35 gal   132 L
WATER CAPACITY �	6 gal   23 L
ICE CAPACITY	32 at   30 L

<sup>\*</sup> reference page 46

MAX CAPACITY 9 ppl, 17	715 lbs   778 kg
BOW DEPTH (bow to cushion	) 27 in   69 cm
COCKPIT DEPTH (at helm)	34 in   86 cm
MAX DRAFT (drive down)	34 in   86 cm
DEADRISE ANGLE	19 degrees
MAX HORSEPOWER	225











- □ 15" side-entry walkway
- □ deep cockpit
- oversized cup holders
- □ fiberglass cockpit floor liner
- □ premium 36 oz. stain resistant vinyl
- □ 32 qt. cooler / storage box with drain
- □ marine high power audio system
- □ auto / manual 1100 gph bilge pump
- porta potti with self-contained holding tank
- stand-up bimini top with boot
- stainless steel bow and stern ladders
- □ stainless steel pull-up cleats, braces, hardware
- □ full canvas set ❖
- cockpit table for entertaining
- LCD bow and transom stereo remotes ❖
- □ aft walk-thru filler cushions ❖
- □ pressurized bow and transom showers ❖
- porta potti with dockside pumpout





### 215 CR SPORT DECK

Want all of the features of a bigger boat without actually having a bigger boat? Look no further. The 215CR packs in ALL of the same features of our 235CR, with two feet less to trailer. Our designers did an impressive job of conserving space in just the right non-essential areas to bring you this right-sized cuddy.

LENGTH	21 ft, 11 in   6.7 m
BEAM	101 in   257 cm
BRIDGE CLEARANCE	58 in   147 cm
AVG DRY WEIGHT (w/ 5.0L)	3775 lbs
FUEL CAPACITY *	47 gal   178 L
WATER CAPACITY	13 gal   49 L
ICE CAPACITY	25 qt   24 L

<sup>\*</sup> reference page 46

MAX CAPACITY 11 ppl, 2167 lbs | 983 kg
BOW DEPTH (bow to cushion) 29 in | 74 cm
COCKPIT DEPTH (at helm) 34 in | 86 cm
MAX DRAFT (drive down) 34 in | 86 cm
DEADRISE ANGLE 19 degrees
MAX HORSEPOWER 270













- □ 15" side-entry walkway
- deep cockpit area
- oversized cup holders
- □ self-bailing fiberglass floor liner
- premium 36 oz. stain resistant vinyl
- marine high power audio system

- □ auto / manual 1100 gph bilge pump
- □ stand-up bimini top with boot
- cockpit table for entertaining
- porta potti with self-contained holding tank
- □ stainless steel bow and stern ladders
- □ stainless steel pull-up cleats, braces, hardware
- pressurized transom shower
- □ full canvas set ❖
- □ LCD bow and transom stereo remotes ❖
- □ aft walk-thru filler cushions ❖
- □ pressurized bow shower ❖
- porta potti with dockside pumpout





### 225 CR CUDDY CABIN

As a deep boat with ample freeboard for "big" water, the 225CR offers safety and performance. Its spacious cockpit and cabin make for comfortable overnighting. A recessed cabin step leads to the spacious V-berth and amenities, and the bi-fold doors with smoke inserts and keyed entry lock provide privacy.

LENGTH	22 ft, 11 in   7.0 m
BEAM	100 in   254 cm
BRIDGE CLEARANCE	55 in   140 cm
AVG DRY WEIGHT (w/ 5.0L)	3539 lbs
FUEL CAPACITY *	57 gal   216 L
WATER CAPACITY	6 gal   23 L
ICE CAPACITY	25 qt   24 L

<sup>\*</sup> reference page 46

MAX CAPACITY 10 ppl, 2080 lbs | 943 kg
BOW DEPTH (bow to cushion) 28 in | 71 cm
COCKPIT DEPTH (at helm) 36 in | 91 cm
MAX DRAFT (drive down) 33 in | 84 cm
DEADRISE ANGLE 20 degrees
MAX HORSEPOWER 320













- □ deep cockpit area
- oversized cup holders
- □ indirect LED cockpit lighting
- ☐ fiberglass cockpit floor liner
- □ marine high power audio system
- □ removable 25 qt. cooler

- □ premium 36 oz. stain resistant vinyl
- □ auto / manual 1100 gph bilge pump
- □ stand-up bimini top with boot
- porta potti with self-contained holding tank
- □ three-step stainless steel boarding ladder
- □ stainless steel pull-up cleats, braces, hardware
- cockpit table for entertaining
- cabin and aft filler cushions
- □ butane stove with SS case and auto light
- □ full canvas set ❖
- □ pressurized transom shower ❖
- □ porta potti with dockside pumpout ❖





### 235 CR SPORT DECK

The wide-body design means extra roomy cuddy cabins. Combine this with our convenient side-entry transom walkway, and you have a setup that your family and friends can enjoy for the whole day...or for the entire weekend.

ADDED BONUS: it's affordable and trailerable.

LENGTH	23 ft, 11 in   7.3 m
BEAM	101 in   257 cm
BRIDGE CLEARANCE	58 in   147 cm
AVG DRY WEIGHT (w/ 5.0L)	4175 lbs
FUEL CAPACITY *	57 gal   216 L
WATER CAPACITY	13 gal   49 L
ICE CAPACITY	25 qt   24 L

<sup>\*</sup> reference page 46

MAX CAPACITY 12 ppl, 2535 lbs | 1150 kg
BOW DEPTH (bow to cushion) 29 in | 74 cm
COCKPIT DEPTH (at helm) 34 in | 86 cm
MAX DRAFT (drive down) 34 in | 86 cm
DEADRISE ANGLE 19 degrees
MAX HORSEPOWER 320











- □ 15" side-entry walkway
- □ deep cockpit area
- oversized cup holders
- □ self-bailing fiberglass floor liner
- marine high power audio system
- □ premium 36 oz. stain resistant vinyl
- □ auto / manual 1100 gph bilge pump
- □ stand-up bimini top with boot
- cockpit table for entertaining
- porta potti with self-contained holding tank
- stainless steel bow and stern ladders
- □ stainless steel pull-up cleats, braces, hardware
- pressurized transom shower
- ☐ full canvas set ❖
- LCD bow and transom stereo remotes ❖
- □ aft walk-thru filler cushions ❖
- □ pressurized bow shower ❖
- □ porta potti with dockside pumpout ❖





### 250 CR CUDDY CABIN

Looking for a trailerable cruiser for overnighting with your friends and family? The 250CR offers a spacious V-berth, a built-in storage cabinet, and a portapotti with pumpout. A keyed, smoked entry door provides privacy. The cockpit area features both the space and amenities for entertaining your passengers.

LENGTH	25 ft   7.6 m
BEAM	102 in   259 cm
BRIDGE CLEARANCE	65 in   165 cm
AVG DRY WEIGHT (w/ 5.0L)	4293 lbs
FUEL CAPACITY *	68 gal   257 L
WATER CAPACITY	17 gal   64 L
ICE CAPACITY	32+25 qt   30+24 L

<sup>\*</sup> reference page 46

MAX CAPACITY 10 ppl, 2265	lbs   1027 kg
BOW DEPTH (bow to cushion)	32 in   81 cm
COCKPIT DEPTH (at helm)	36 in   91 cm
MAX DRAFT (drive down)	34 in   86 cm
DEADRISE ANGLE	21 degrees
MAX HORSEPOWER	320













- □ deep cockpit area
- oversized cup holders
- □ indirect LED cockpit lighting
- □ self-bailing fiberglass floor liner
- □ marine high power audio system
- freshwater sink

- □ premium 36 oz. stain resistant vinyl
- □ auto / manual 1100 gph bilge pump
- □ stand-up bimini top with boot
- porta potti with tank and dockside pumpout
- □ three-step stainless steel boarding ladder
- □ stainless steel pull-up cleats, braces, hardware
- □ cockpit table for entertaining
- pressurized transom shower
- □ full canvas set ❖
- □ cockpit filler cushions ❖
- □ 12-volt windlass harness ❖
- □ dual battery system ❖





# 250cs CABIN CRUISER

The dual-cabin 250CS cruiser offers sleeping accommodations for four with two berths—one in the forward bow and another midships—making it ideal for overnight excursions. Lots of space, numerous standard features, many options to choose from, and the 250CS is still easily trailerable to endless destinations.

LENGTH	25 ft   7.6 m
BEAM	102 in   259 cm
BRIDGE CLEARANCE	77 in   196 cm
AVG DRY WEIGHT (w/ 5.0L)	4971 lbs
FUEL CAPACITY *	68 gal   257 L
WATER CAPACITY	25 gal   95 L
ICE CAPACITY	32+25 qt   30+24 L

<sup>\*</sup> reference page 46

MAX CAPACITY 10 ppl, 226	5 lbs   1027 kg
BOW DEPTH (bow to cushion) 40 in   102 cm	
COCKPIT DEPTH (at helm)	35 in   89 cm
MAX DRAFT (drive down)	35 in   89 cm
DEADRISE ANGLE	21 degrees
MAX HORSEPOWER	320













- □ SS stern, bow, and spring line cleats
- □ self-bailing fiberglass floor liner
- □ freshwater sink
- □ built-in stove, refrigerator, and microwave
- □ indirect LED cockpit lighting
- □ enclosed head with shower

- marine high power audio system
- □ premium 36 oz. stain resistant vinyl
- □ auto / manual 1100 gph bilge pump
- □ stand-up bimini top with boot
- cockpit table for entertaining
- pressurized transom shower

- porta potti with tank and dockside pumpout
- □ three-step stainless steel boarding ladder
- ☐ full canvas set ❖
- dual battery system ❖
- □ remote control windlass ❖
- □ 110v or 120v hot water, HVAC, alc./elec. stove ❖





# 225<sub>SX</sub> SPORTBOAT

When you put the throttle down, the 225SX pops on plane in seconds. Trimmed out at full throttle, only the last few feet of hull make contact with the water as it releases to reach max speed. The hull design ensures that it handles turns with agility. Simply put, this baby corners like it's on rails!

LENGTH	22 ft, 11 in   7.0 m
BEAM	100 in   254 cm
BRIDGE CLEARANCE	45 in   114 cm
AVG DRY WEIGHT (w/ 5.0L)	3225 lbs
FUEL CAPACITY *	57 gal   216 L
ICE CAPACITY	32+25 at   30+24 L

<sup>\*</sup> reference page 46

MAX CAPACITY 10	ppl, 2080 lbs   943 kg
BOW DEPTH (bow to o	ushion) 32 in   81 cm
COCKPIT DEPTH (at h	elm) 32 in   81 cm
MAX DRAFT (drive dov	vn) 33 in   84 cm
DEADRISE ANGLE	20 degrees
MAX HORSEPOWER	320









### **KEY FEATURES**

- □ marine high power audio system
- □ indirect LED cockpit lighting
- □ fiberglass cockpit floor liner
- □ premium 36 oz. stain resistant vinyl
- □ auto / manual 1100 gph bilge pump
- □ aft walk-thru filler cushion

- □ custom SS (Italian) steering wheel
- □ aluminum deck hatch with screen
- twin sport bucket with bolster
- magnetic compass
- porta potti with self-contained holding tank
- □ stainless steel pull-up cleats and braces

- □ trim tabs with LED indicator ❖
- stainless steel hardware package
- snap-in carpet ❖
- □ transom mounted trim and tilt switch ❖
- □ LCD transom stereo remote ❖
- □ solid deck and hull color ❖ denotes optional feature





# 204LR OUTBOARD


The 204LR is an outboard version of the 208LR entry level sport deck bowrider. It retains the same 15" side entryway for quick and easy boarding. Underneath the sundeck is a large storage area. Aft of the sundeck are two double-tiered swim perches for easy boarding from the water or hanging out on the transom.

LENGTH	20 ft, 5 in   6.2 m
BEAM	99 in   250 cm
BRIDGE CLEARANCE	49 in   124 cm
AVG DRY WEIGHT (115 hp)	2490 lbs
FUEL CAPACITY *	35 gal   132 L
WATER CAPACITY �	6 gal   23 L
ICE CAPACITY	32+14 qt   30+13 L

<sup>\*</sup> reference page 46

MAX CAPACITY 9 ppl, 171	5 lbs   778 kg
BOW DEPTH (bow to cushion)	16 in   41 cm
COCKPIT DEPTH (at helm)	32 in   81 cm
MAX DRAFT (drive down)	34 in   86 cm
DEADRISE ANGLE	19 degrees
MAX HORSEPOWER	150







optional stainless steel ski tow







### **KEY FEATURES**

- □ 15" side-entry walkway
- deep bow and cockpit
- oversized cup holders
- □ floor storage with oversize door
- indirect LED interior lighting
- □ fiberglass cockpit floor liner
- □ 32 qt. and 14 qt. coolers / storage boxes with drain
- premium 36 oz. stain resistant vinyl
- □ marine high power audio system
- □ auto / manual 1100 gph bilge pump
- □ stand-up bimini top with boot
- □ stainless steel pull-up cleats, braces, hardware
- □ cockpit table for entertaining ❖
- □ LCD bow and transom stereo remotes ❖
- bow and aft filler cushions ❖
- pressurized bow and transom showers
- □ custom wakeboard tower ❖
- □ custom stainless steel ski tow ❖

denotes optional feature





# 214LR OUTBOARD

The 214LR is the outboard version of our popular 215LR sport deck model, featuring a wide body cockpit for optimal passenger space and a large, functional head compartment for weekend trips. We invite you to compare our model (features, performance, and fuel efficiency) to others on the market.

LENGTH	21 ft, 8 in   6.6 m
BEAM	101 in   257 cm
BRIDGE CLEARANCE	58 in   147 cm
AVG DRY WEIGHT (150 hp)	3114 lbs
FUEL CAPACITY *	47 gal   178 L
WATER CAPACITY	13 gal   49 L
ICE CAPACITY	25+17 at   24+16 L

<sup>\*</sup> reference page 46

MAX CAPACITY 11 ppl, 216	67 lbs   983 kg
BOW DEPTH (bow to cushion)	17 in   43 cm
COCKPIT DEPTH (at helm)	34 in   86 cm
MAX DRAFT (drive down)	34 in   86 cm
DEADRISE ANGLE	19 degrees
MAX HORSEPOWER	150













### **KEY FEATURES**

- □ 15" side-entry walkway
- deep bow and cockpit
- □ floor storage with oversize door
- cockpit table for entertaining
- □ indirect LED interior lighting
- self-bailing fiberglass floor liner
- premium 36 oz. stain resistant vinyl
- enclosed head with vent window and lighting
- freshwater sink and refreshment area
- porta potti and self-contained holding tank
- □ stand-up bimini top with boot
- □ stainless steel pull-up cleats, braces, hardware
- pressurized bow and transom showers
- □ auto / manual 1100 gph bilge pump
- LCD bow and transom stereo remotes ❖
- bow filler cushion ❖
- □ custom wakeboard tower ❖
- □ custom stainless steel ski tow ❖



## STANDARDS & OPTIONS

/	,	OPTION #	185LS/LX	195FX *	195LS/LX	195RX	208LR	215LR	225LR	235LR	250LR	195CS/CX	208CR	215CR	225CR	235CR	250CR	250CS	225SX	204LR	214LR /
						В	OWRIDE	R						CU	DDY CAI	BIN			SPORT	оитв	OARD
	5-Year Hull Protection Plan	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	3-Year Hull Blister Protection Plan	_	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Exclusive Z-plane Hull	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Certifications: NMMA, USCG, IMCI, EC	_	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Auto / Manual Bilge Pump (1100 gph)	50	95	95	95	95	S	S	S	S	S	95	S	S	S	S	S	S	S	S	S
	Cooler / Storage Box w/ Drain	-	S	S	S	S	S	S	S	S	S	S	S	S	-	S	S	S	S	S	S
	Floor Storage w/ Oversize Access Door	_	S	S	S	S	S	S	S	S	S	S	-	-	_	_	-	_	_	S	S
	Opening Cabin Windows w/ Screen (ea)	_	-	-	-	-	-	2	-	2	1	-	_	3	3	3	2	5	-	-	2
	Performance Notched Transom	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Solid Color Deck and Hull	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1462	-	-
5	Two-Tone Hull Color Stripe	51	445	445	445	-	468	486	468	577	577	445	468	486	468	577	577	577	468	468	486
	CE Certification Package w/ Shipping Cradle	90	835	835	835	835	908	908	908	908	908	835	908	908	908	908	908	908	908	908	908
	Electric Trim Tabs w/ LED Indicator	56	-	-	-	-	1046	1046	1046	1046	1046	-	1046	1046	1046	1046	1046	1046	1046	1046	1046
	Hydraulic Trim Tabs w/ LED indicator	68	_	_	_	-	977	977	977	977	977	-	977	977	977	977	977	977	977	977	977
	Stainless Steel Sport Trim Tabs (fixed)	57	92	92	92	92	92	-	-	-	-	92	92	-	-	-	-	-	-	92	-
	Pressurized Bow Shower	59	-	-	-	-	192	S	_	S	_	-	192	192	_	192	_	_	_	192	S125
	Pressurized Water w/ Transom Shower	69	_	-	-	_	422	S	422	S	S	-	422	S	291	S S	S	S	-	422	S S
	Shipping Cradle (for export only)	31	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508
	Value Package, includes opt # 40, 50, 65, 67	79	-	-	-	999	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Value Package, includes opt # 40, 50, 65, 67	80	275	275	275	999	-	-	-	-	-	275	-	-	-	-	-	-	-	-	-
		-	-	-	-	_	S	S	S	S	S	S S	S	S	S	S	S	S	-	S	S
	Bow Anchor Storage		-	-	-	-	-	S	-	S	S	-	-	-	-	-	-	S	-	-	S
	Enclosed Head w/ Vent Window & Lighting Lockable Cabin Doors	-	-	-	-	_	_	-	-	-	-	S	S	S	S	S	S	S	S	-	-
		-		-				-				S	S	_	-		_	3	3		
	Port Windows with SS Frame	-	- S	S	- S	- S	-	-	- S	-	- S	S	-	-	S	-	- S	S	S	-	_
	SS Multi-Step Boarding Ladder		-	3	-	-	S	S	-	S	-	-	S		-		-	-	-	S	
	SS Multi-Step Bow and Stern Ladder	-		-			-	_		-			-	S		S				-	S
	SS Stern, Bow, and Spring Line Cleats	-	S -	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
S	Stainless Steel Hardware Package	55	S	340 S	340 S	-	457 S	457 S	457	457 S	457 S	340 S	457 S	457	457 S	457 S	457 S	457	457	457 S	457 S
Ш	Stainless Steel Pull-Up Cleats	-	_	_		-	_	_	S	_	_	_	-	S		_	_	-	S	_	
Ė	Stainless Steel Windshield Supports	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Windshield with Side Vent Windows	- 04	- 075	- 075		-	S	S	S	S	S	- 075	S	S	S	S	S	S	-	S	S
	Extended Swim Platform (white only)	81	875	875	875	-	-	-	-	-	-	875	-		-	-	-	-	-	-	-
	Windshield Wiper (starboard side)	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	295	-	-	-
	Stainless Steel Custom Ski Tow (removable)	670	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	423	423
	Wakeboard Package 1 - 331 Wake Razor	900	-	-	-	-	3677	3677	3677	3677	-	-	-	-	-	-	-	-	-	3677	3677
	Wakeboard Package 2 - 332 Wake Splash	901	-	-	-	-	3677	3677	3677	3677	-	-	-	-	-	-	-	-	-	3677	3677
	Custom Wakeboard Tower	661	-	-	-	-	2846	2846	2846	2846	-	-	-	-	-	-	-	-	-	2846	2846
	25 qt Removable Cockpit Cooler	-	-	-	-	-	-	S	S	S	S	-	-	S	S	S	S	S	-	-	S
	Backlit Instruments with Circuit Breakers	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Dash Accessory Plug 12V	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
П	Electronic Engine Hour Meter	-	S	S	S	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
ບ	Indirect LED Cockpit Lighting	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
0	Premium 36 oz Foam-Backed Vinyl w/ PreFixx	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Helm Seats with Fore and Aft Adjustors	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
	Ignition Switch w/ Stereo Accessory Remote	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	-
	Oversized Cup Holders	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S

(ea) Indicates quantity, not dollars.

- Denotes Not Available.
- Fish and Ski includes: twin casting platform with pedestal seating, tackle storage, trolling motor panel with dual battery box, livewell.

Prices and specifications subject to change.

Only the most popular standard and optional equipment items are shown.

For the current and complete list of items, visit stingrayboats.com/ options.



Curved Safety Glass Walk-Thru Windshield



Recessed Speakers and Convenient Drink Holders



Two-Tone Hull Color Stripe (Option #51) (shown with optional hull graphic)



Custom Dash with Backlit Instruments, SS Bezels, and Tilt Steering



Stainless Steel Upgrade Package (Option #55) Items Vary by Model (Cupholders, Steering Wheel, Horn Cover, Rub Rail, and Vent Covers)



Stainless Steel Ski Tow Ring



Adjustable Lounge Seat with Injection Molded Polypropylene Cores



25-quart Removable Cooler (214LR, 215CR, 215LR, 225LR, 225CR, 235LR, 235CR, 250LR, 250CR, 250CS)



Floor Storage w/ Non-Skid Lid & SS Assist (195L, 195FX, 204LR, 208LR, 214LR, 215LR, 225LR, 235LR)



Bow Anchor Storage, Translucent Aluminum Deck Hatch, Stainless Steel Pull-up Cleats, Navigation Lights, Stainless Steel Contoured Bow Rails, Bow Ladder



Walk-Thru Removable Filler Cushion (Option #47 or 77) (204LR, 208CR, 208LR, 214LR,



215CR, 215LR, 235CR, 235LR)



High Low Jump Seats Insulated Fiberglass Motor Box with Upholstered Pad (195LS, 195CS)



LX Interior - Twin Bucket Seats, Full-Width, Bench Seat, and Sport Style Sundeck



LS Interior - Bucket Seat, Lounge Seat, Motor Box and Jump Seats



Stainless Steel Port Windows



LR Sport Deck Interior - Bucket Seats, Wrap-around Bench Seating, & Sport Style Sundeck



LR Bowrider Interior - Bucket Seats, Wrap-around Bench Seating, & Sport Style Sundeck

## STANDARDS & OPTIONS

	OPTION #	185LS/LX	195FX *	195LS/LX	195RX	208LR	215LR	225LR	235LR	250LR	195CS/CX	208CR	215CR	225CR	235CR	250CR	250CS	225SX	204LR	214LR
					В	OWRIDE	R						CU	DDY CA	BIN			SPORT	OUTE	OAR
Self Bailing Cockpit	-	-	-	-	-	-	S	-	S	S	-	-	S	-	S	S	S	-	-	S
Throttle-Trim Control with Safety Switch	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Steel Burl or Graywood Trim Package	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Audio System / MP3 and 100-watt Speakers	23	340	340	340	-	-	-	-	-	-	340	-	-	-	-	-	-	-	-	-
Hi-Power Marine Audio System	-	-	-	-	-	S	S	S	S	S	-	S	S	S	S	S	S	S	S	S
Marine Audio System with MP3 Port	67	219	219	219	254	-	-	-	-	-	219	-	-	-	-	-	-	-	-	-
Standard Audio System	-	-	-	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stereo, LCD Remote, Transom	21	-	-	-	-	185	185	185	185	185	-	185	185	185	185	185	185	185	185	18
Stereo, LCD Remote, Bow and Transom	75	-	-	-	-	323	323	-	323	-	-	323	323	-	323	-	-	-	323	32
Adjustable Pedestal for One Bucket Seat	86	-	-	-	-	-	-	-	-	-	85/-	-	-	-	-	-	85	-	-	
Adjustable Pedestal for Two Bucket Seats	83	-	-	-	-	-	169	-	169	169	-/169	-	169	169	169	169	-	-	-	16
High Low Jump Seats	-	-	-	S/-	-	-	-	-	-	-	S/-	-	-	-	-	-	-	-	-	
Sport Bucket w/ Bolster	26	215/-	-	215/-	-	-	-	-	-	-	215/-	-	-	-	-	-	S	-	-	
Twin Sport Bucket w/ Bolster	82	-/429	429	-/429	-	429	S	S	S	S	-/429	429	S	S	S	S	-	S	429	
Fiberglass Cockpit Floor Liner	46	542	542	542	-	S	S	S	S	S	542	S	S	S	S	S	S	S	S	
Snap-in Carpet (standard seating)	33	385	385	385	-	446	500	446	500	500	385	446	446	446	446	446	446	446	446	50
Cockpit Table with Bow and Cockpit Mounts	76	-	-	-	-	262	S	S	S	S	-	262	S	S	S	S	S	-	346	
Digital Depth Finder with Depth Alarm	48	351	351	351	-	351	351	351	351	351	351	351	351	351	351	351	351	351	351	3
Magnetic Compass (for navigation)	49	131	131	131	-	131	S	S	S	S	131	131	S	S	S	S	S	S	131	
Filler Cushion - Aft Walkthru	47	-	-	-	-	-	346	-	346	S	-	-	346	-	346	S	-	-	-	
Filler Cushion - Aft Walkthru and Seat	77	-	-	-	-	500	-	S	-	S	-	500	_	S	-	S	_	S	500	
Filler Cushion for Bow / Cabin	84	-	-	-	-	285	285	285	285	285	-	S	S	S	S	-	-	-	285	2
Adjustable Cabin Lights	-	-	-	-	-	-	-	-	-	S	S	S	S	S	S	S	S	S	-	
Butane Stove w/ Case and Auto Light	-	-	-	-	-	-	-	-	-	-	-	-	S	S	S	S	-	-	-	
Enclosed Head w/ Shower	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	-	-	
Freshwater Sink	_	-	_	_	_	_	S	_	S	S	_	_	S	S	S	S	S	_	_	
Molded Fiberglass Cabin Liner	-	-	-	-	-	-	S	-	S	S	S	-	S	S	S	S	S	-	-	
Porta-Potti with Level Indicator	_	-	_	-	_	_	S	_	S	S	S	S	S	S	S	S	-	S	_	
Porcelain Head with Holding Tank	-	_	-	-	_	-	-	_	-	-	-	-	-	-	-	-	S	-	_	
Porta-Potti with Dockside Pump-out	38	-	_	_	_	_	185	_	185	185	-	185	185	185	185	185	-	_	_	1
Porcelain Head with Tank / Macerator	35	_	_	_	_	_	-	_	-	-	_	-	-	-	-	-	449	_	_	
220V Electrical System (export only) <sup>A</sup>	27	-	_	-	_	_	_	_	_	_	_	_	_	_	_	_	500	_	_	
220V Hot Water System	29	-	-	_	_	_	_	_	-	_	-	-	_	-	-	_	763	-	_	
Automatic Fire Extinguishing System	19	472	472	472	472	672	672	672	672	672	472	672	672	672	672	672	672	672	672	6
Battery Charger (110V)	41	-			-	208	208	-	208	208	-	208	208	-	208	208	-	-	208	2
Battery On / Off Switch with Safety Key	36	105	105	105	_	105	105	105	105	105	105	105	105	105	105	105	S68	105	105	1
Dual Battery System with VSR and Switch	30	-	-	-	-	274	274	-	274	274	-	274	274	-	274	274	S178	-	274	2
Power Trim and Tilt with Indicator	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Remote Oil Change System	_	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	
Transom Mounted Trim and Tilt Switch	40	123	123	123	123	S	S	S	S	S	123	S	S	S	S	S	S	S	S	
Hydraulic Tilt Steering (200 hp - 225 hp)	451	-	-	-	-	-	-	-	-	-	123	-	-	-	-	-	-	-	1346	
Hydraulic Tilt Steering (200 hp - 223 hp)  Hydraulic Tilt Steering (up to 175 hp)	401	-	-	-	-	-	_		-	_	-	-	-	-		-	-	_	1346	13
Power Steering (engine driven)	401	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	1340	15
0 1 0 7	39					S	S	S	S	S		S	S	S	S	S	S	S	S	
Tilt Steering with Locking Detent		183	183	183	-						183				-			5	S	
Zero Torque Steering MyStingray.com Personal Web Site	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	

- A Electrical System includes: 25 ft shorepower cable, battery charger, refrigerator, alcohol / electric stove.
- Denotes Not Available
- Fish and Ski includes: twin casting platform with pedestal seating, tackle storage, trolling motor panel with dual battery box, livewell.

Prices and specifications subject to change.

Only the most popular standard and optional equipment items are shown.

For the current and complete list of items, visit stingrayboats.com/ options



Full Function Head with Sink, Shower, Storage, and Opening Vent Window (250CS)



Ritchie Compass (Option #49)



Freshwater Sink, Counter Top Area, and 25-quart Removable Cooler (235LR shown)



Integrated Bow Steps (208CR, 215CR, 225CR, 225SX, 235CR (shown), 250CR)



Sport Bucket with Flip-Up Bolster (225LR shown)



Stainless Steel Swing Out Bow Access Step



Notched Transom with Heavy Duty Drain Plug





Molded Fiberglass Cabin Liner with Storage, Butane Stove, and Porta Potti



Contoured Bow Seats & Integrated Cooler



Bow Filler Cushions (Option #84)



Lockable Cabin Doors with Tinted Lexan Inserts



and Opening Vent Window (250CS)



Bow Storage Areas



17-Gallon Aerated Livewell (195FX)



Passenger Side Glovebox / Stereo (varies by model) (185LS/LX, 195FX/LS/LX, 204LR, 208LR, 225LR, 225SX)



Remote Trim & Tilt Switch (Option #40)



Digital Depth Finder w/ Alarm (Option #48)



32-quart Ice Chest (195LX shown)




Cockpit Table with Floor Mount




Integrated Swim Platform with Thru-Bolted Transom Hardware and Boarding Ladder

## MODEL SPECIFICATIONS

,	LENGTH OVERALL	BEAM	BRIDGE CLEARANCE	DRY WEIGHT A (w/ popular engine)	FUEL CAPACITY *	WATER	ICE BOX CAPACITY	MAX	FREE BOARD	MOLDED DEPTH (windshied base to keel)	MAX DEPTH (including windshield)	MAX DRAFT (drive down)	MAX DRAFT B	BOW DEPTH (bow to cushion top)	BOW DEPTH (max depth)	BOW LENGTH (mex length)	COCKPIT DEPTH (at helm)	COCKPIT WIDTH (max molded)	COCKPIT LENGTH	SLEEPING	DEADRISE /
	1 18 ft, 5 in	85 in	41 in	2219 lbs	21 gal		32 qt	7 ppl / 1070 lbs	23 in	42 in	52 in	29 in	18 in	2 14 in	3 31 in	<b>4</b> 56 in	5 28 in	6 69 in	7 102 in		19°
185LS/LX	5.6 m	216 cm	104 cm	3.0 L	79 L		30 L	7 ppl / 485 kg	58 cm	107 cm	132 cm	74 cm	46 cm	36 cm	79 cm	142 cm	71 cm	175 cm	259 cm		19°
	19 ft, 6 in	91 in	49 in	2672 lbs	35 gal		32 qt	8 ppl / 1470 lbs	24 in	44 in	55 in	31 in	18 in	15 in	32 in	58 in	29 in	73 in	107 in		19°
195FX	5.9 m	231 cm	124 cm	4.3 L	133 L		30 L	8 ppl / 666 kg	61 cm	112 cm	140 cm	79 cm	46 cm	38 cm	81 cm	147 cm	74 cm	185 cm	272 cm		19°
	19 ft, 6 in	91 in	47 in	2604 lbs	35 gal		32 qt	8 ppl / 1470 lbs	24 in	44 in	55 in	31 in	18 in	15 in	32 in	58 in	29 in	73 in	107 in		19°
195LS/LX	5.9 m	231 cm	119 cm	4.3 L	133 L		30 L	8 ppl / 666 kg	61 cm	112 cm	140 cm	79 cm	46 cm	38 cm	81 cm	147 cm	74 cm	185 cm	272 cm		19°
10554	19 ft, 6 in	91 in	47 in	2290 lbs	21 gal		14 qt	8 ppl / 1470 lbs	24 in	44 in	55 in	31 in	18 in	15 in	32 in	58 in	29 in	73 in	107 in		199
195RX	<b>∠</b> 5.9 m	231 cm	119 cm	3.0 L	79 L		13 L	8 ppl / 666 kg	61 cm	112 cm	140 cm	79 cm	46 cm	38 cm	81 cm	147 cm	74 cm	185 cm	272 cm		19°
0001.5	20 ft, 8 in	99 in	49 in	2825 lbs	35 gal	6 (opt)	32+14 qt	9 ppl / 1715 lbs	24 in	48 in	62 in	34 in	18 in	16 in	32 in	55 in	32 in	81 in	101 in		19°
208LR	6.3 m	250 cm	124 cm	4.3 L	132 L	23 (opt)	30+13 L	9 ppl / 778 kg	61 cm	122 cm	157 cm	86 cm	46 cm	41 cm	80 cm	140 cm	81 cm	206 cm	257 cm		19°
215LR	21 ft, 11 in	101 in	58 in	3705 lbs	47 gal	13	25+17 qt	11 ppl / 2167 lbs	31 in	58 in	72 in	34 in	17 in	17 in	33 in	59 in	34 in	81 in	107 in		19°
ZIOLK	6.7 m	257 cm	147 cm	5.0 L	178 L	49	24+16 L	11 ppl / 983 kg	79 cm	147 cm	183 cm	86 cm	43 cm	43 cm	84 cm	150 cm	86 cm	206 cm	272 cm		19°
225LR	22 ft, 11 in	100 in	52 in	3364 lbs	57 gal	6 (opt)	32+25 qt	10 ppl / 2080 lbs	26 in	51 in	58 in	33 in	18 in	20 in	34 in	59 in	33 in	81 in	103 in		209
225LK	7.0 m	254 cm	132 cm	5.0 L	216 L	23 (opt)	30+24 L	10 ppl / 943 kg	66 cm	130 cm	147 cm	84 cm	46 cm	51 cm	86 cm	150 cm	84 cm	206 cm	262 cm		20
235LR	23 ft, 11 in	101 in	58 in	4105 lbs	57 gal	13	25+32 qt	12 ppl / 2535 lbs	31 in	58 in	72 in	34 in	17 in	17 in	33 in	59 in	34 in	81 in	120 in		19
ZUULIN	7.3 m	257 cm	147 cm	5.0 L	216 L	49	24+30 L	12 ppl / 1150 kg	79 cm	147 cm	183 cm	86 cm	43 cm	43 cm	84 cm	150 cm	86 cm	206 cm	305 cm		199
250LR	25 ft	102 in	65 in	4340 lbs	68 gal	17	32+32+25 qt	10 ppl / 2265 lbs	37 in	66 in	77 in	34 in	17 in	17 in	39 in	68 in	36 in	79 in	119 in		21
ZOULK	7.6 m	259 cm	165 cm	5.0 L	257 L	64	30+30+24 L	10 ppl / 1027 kg	94 cm	168 cm	196 cm	86 cm	43 cm	43 cm	99 cm	173 cm	91 cm	201 cm	302 cm		21
95CS/CX	19 ft, 6 in	91 in	52 in	2734 lbs	35 gal		46 qt	8 ppl / 1470 lbs	23 in	47 in	60 in	31 in	18 in	25 in	41 in	60 in	34 in	73 in	114 in	2+1	19
3300/0X	5.9 m	231 cm	132 cm	4.3 L	133 L		44 L	8 ppl / 666 kg	58 cm	119 cm	152 cm	79 cm	46 cm	64 cm	104 cm	152 cm	86 cm	185 cm	290 cm	2+1	19
208CR	20 ft, 8 in	99 in	51 in	2925 lbs	35 gal	6 (opt)	32 qt	9 ppl / 1715 lbs	24 in	51 in	64 in	34 in	18 in	27 in	45 in	72 in	34 in	81 in	85 in	2	19
200011	6.3 m	250 cm	130 cm	4.3 L	132 L	23 (opt)	30 L	9 ppl / 778 kg	61 cm	128 cm	163 cm	86 cm	46 cm	69 cm	114 cm	183 cm	86 cm	206 cm	216 cm	2	19
215CR	21 ft, 11 in	101 in	58 in	3775 lbs	47 gal	13	25 qt	11 ppl / 2167 lbs	31 in	58 in	72 in	34 in	17 in	29 in	49 in	73 in	34 in	81 in	94 in	2+1	19
	<b>2</b> 6.7 m	257 cm	147 cm	5.0 L	178 L	49	24 L	11 ppl / 983 kg	79 cm	147 cm	183 cm	86 cm	43 cm	74 cm	124 cm	185 cm	86 cm	206 cm	237 cm	2+1	19
225CR	22 ft, 11 in	100 in	55 in	3539 lbs	57 gal	6	25 qt	10 ppl / 2080 lbs	26 in	54 in	61 in	33 in	18 in	28 in	49 in	81 in	36 in	81 in	94 in	2+1	20
	7.0 m	254 cm	140 cm	5.0 L	216 L	23	24 L	10 ppl / 943 kg	66 cm	137 cm	155 cm	84 cm	46 cm	71 cm	124 cm	206 cm	91 cm	206 cm	239 cm	2+1	20
235CR	o 23 ft, 11 in	101 in	58 in	4175 lbs	57 gal	13	25 qt	12 ppl / 2535 lbs	31 in	58 in	72 in	34 in	17 in	29 in	49 in	87 in	34 in	81 in	103 in	2+1	19
	7.3 m	257 cm	147 cm	5.0 L	216 L	49	24 L	12 ppl / 1150 kg	79 cm	147 cm	183 cm	86 cm	43 cm	74 cm	124 cm	221 cm	86 cm	206 cm	260 cm	2+1	19
250CR	25 ft	102 in	65 in	4293 lbs	68 gal	17	32+25 qt	10 ppl / 2265 lbs	37 in	66 in	77 in	34 in	17 in	32 in	58 in	68 in	36 in	79 in	119 in	2+2	21
	7.6 m	259 cm	165 cm	5.0 L	257 L	64	30+24 L	10 ppl / 1027 kg	94 cm	168 cm	196 cm	86 cm	43 cm	81 cm	147 cm	173 cm	91 cm	201 cm	302 cm	2+2	21
250CS	25 ft	102 in	77 in	4971 lbs	68 gal	25	32+25 qt	10 ppl / 2265 lbs	45 in	78 in	92 in	35 in	19 in	40 in	72 in	118 in	35 in	78 in	117 in	4+1	21
	7.6 m	259 cm	196 cm	5.0 L	257 L	95	30+24 L	10 ppl / 1027 kg	114 cm	198 cm	234 cm	89 cm	48 cm	102 cm	183 cm	300 cm	89 cm	198 cm	297 cm	4+1	21
225SX	22 ft, 11 in 7.0 m	100 in	45 in	3225 lbs	57 gal		32+25 qt	10 ppl / 2080 lbs	26 in	51 in	60 in	33 in	18 in	32 in	46 in	83 in	32 in	81 in	89 in	2	20
		254 cm	114 cm	5.0 L	216 L		30+24 L	10 ppl / 943 kg	66 cm	130 cm	152 cm	84 cm	46 cm	81 cm	117 cm	211 cm	81 cm	206 cm	226 cm	2	20
204LR	20 ft, 5 in	99 in	49 in	2490 lbs	35 gal	6 (opt)	32+14 qt	9 ppl / 1715 lbs	24 in	48 in	62 in	34 in	18 in	16 in	32 in	55 in	32 in	81 in	101 in		199
	6.2 m	250 cm	124 cm	115 hp	132 L	23 (opt)	30+13 L	9 ppl / 778 kg	61 cm	122 cm	157 cm	86 cm	46 cm	41 cm	80 cm	140 cm	81 cm	206 cm	257 cm		199
214LR	5 21 ft, 8 in	101 in	58 in	3114 lbs	47 gal	13	25+17 qt	11 ppl / 2167 lbs	31 in	58 in	72 in	34 in	17 in	17 in	33 in	59 in	34 in	81 in	107 in		199
	6.6 m	257 cm	147 cm	150 hp	178 L	49	24+16 L	11 ppl / 983 kg	79 cm	147 cm	183 cm	86 cm	43 cm	43 cm	84 cm	150 cm	86 cm	206 cm	272 cm		19°









- <sup>B</sup> Drive Up +5" on V3.0 to clear bottom of swim platform.
- \* To meet new US EPA emissions guidelines, boats that are manufactured for sale in the US after January 2012 will have new fuel tanks with a capacity reduction of approximately 15 percent.

## HULL GRAPHICS / GELCOAT COLORS





## CANVAS

CANVAS IS MADE OF HIGH	# NOILION #	185LS/LX	195FX	195LS/LX	195RX	208LR	215LR	225LR	235LR	250LR	195CS/CX	208CR	215CR	225CR	235CR	250CR	250CS	225SX	204LR	214LR
QUALITY ACRYLIC MATERIAL					E	BOWRIDE	R						CL	IDDY CAE	BIN			SPORT	ОИТВ	BOARD
Convertible Top	-	S	S	S	-	-	-	-	-	-	S	-	-	-	-	-	-	-	-	-
Stand-up Bimini Top with Boot	65	-	-	-	654	S	S	S	S	S	-	S	S	S	S	S	S	-	S	S
High-Low Bimini Top with Front Filler *	64	492	492	492	-	-	-	-	-	-	492	-	-	-	-	-	-	-	-	-
Bimini Top Stainless Steel Quick Connects	-	-	-	-	-	S	S	S	S	S	-	S	S	S	S	S	S	-	S	S
Cockpit and Bow Cover (acrylic) with Poles	17	649	649	649	692	751	1006	751	1006	1006	-	-	-	-	-	-	-	-	751	1006
Cockpit Cover (acrylic) with Support Pole	13	409	465	465	-	525	702	525	702	702	465	525	702	525	702	702	702	525	525	702
Cockpit Cover for Wake Tower	73	-	-	-	-	569	748	569	748	-	-	-	-	-	-	-	-	-	569	748
Bow Cover (acrylic) with Support Pole	18	185	185	185	-	228	305	228	305	255	-	-	-	-	-	-	-	-	228	305
Camper Canvas (2 tops, 4 sides, and aft)	15	-	-	-	-	-	-	1300	1300	-	-	-	1300	-	1300	-	1500	-	-	-
Full Canvas Set (acrylic)	4	600	649	649	-	742	1062	742	1134	1083	472	529	766	529	829	842	842	-	-	-
Side Curtains (for top enclosure)	16	185	185	185	-	269	269	269	269	269	185	269	269	269	269	269	269	-	269	269
Walk-thru Flap	14	57	74	74	-	105	105	105	105	105	-	-	-	-	-	-	-	-	105	105

<sup>\*</sup> upgrade value



Stand-up Bimini Top with Windshield Connector (not shown) - Option #65



High-Low Bimini - Option #64



Cockpit Cover - Option #13, Bow Cover - Option #18



Camper Canvas (for 215 and 235 models) - Option #15



Camper Canvas (for 250CS) - Option #15




Bow Cover - Option #18, shown in optional black color



Full Canvas - Option #4, shown in optional black color



Walk-Thru Flap - Option #14



Black



Blue

Standard canvas color is titanium. Black canvas is optional (option #66). The exception is the 195RX, which comes with blue canvas only.

### PERFORMANCE COMPARISONS

### STINGRAY BOATS, WITH THE PROVEN Z-PLANE HULL, ARE THE MOST FUEL EFFICIENT BOATS YOU CAN BUY...PERIOD!

### USING THE IBOATINFO.COM PERFORMANCE CALCULATOR, YOU CAN:

Get detailed comparisons on up to five different models from thousands of independent tests

Compare speed and fuel economy by make, model, length, hp, displacement, and drive type

Use the category search query to easily change the output results

Compare any one model to all other boat tests in the database



Home	Performance	Comparison Tool	Links							▼ What's My Boat Worth?						
Manufacturers	Manufacturer	Boat Model	LOA	Drive Type	Size I	Engine M HP	Лаке	Max Speed	mph diff	mpg @ 30 mph	mpg diff	\$\$ per 100 hrs*	Info Source			
40 🔥	Stingray	185 LX	18'5"	SD	3.0L 1	35hp Vo	olvo	49.40		5.7		\$1,852	Boattest.com 03/2008			
Activator (2) Active Thunder (3)	Stingray	195 RX	19'6"	SD	3.0L 1	135hp Mer	rc Cat	45.40	-4.00	4.8	-16%	\$2,188	Mercury 6/2011			
denaline (2) dvarcage (41)	Bayliner	185	18'2"	SD	3.0L	135hp M	erc	42.50	-6.9	4.3	-25%	\$2,465	Trailer Boats 02/2005			
Bemarie (2) Bury (1) Joha (10)	Bayliner	175 Bowrider	17'6"	SD	3.0L	135hp M	erc	44.50	-4.9	5.6	-1%	\$1,875	Boating 01/2009			
opha (1) Omnocraft (7)	Four Winns	180 Horizon	18'6"	SD	3.0L 1	135hp Vo	olvo	41.70	-7.7	4.8	-15%	\$2,188	Go Boating 02/2006			
urrently Selected	Glastron	MX 175	17'1"	SD	3.0L 1	135hp Vo	olvo	44.30	-5.1	5.1	-10%	\$2,059	Boattest.com 03/2007			
ayliner (7)	Glastron	GT 185	18'5"	SD	3.0L 1	35hp Vo	olvo	44.30	-5.1	4.9	-14%	\$2,143	Boattest.com 03/2007			
aravelle (1) haparral (0)	Monterey	180FS Montura	18'0"	SD	3.0L 1	135hp Vo	olvo	41.70	-7.7	3.4	-40%	\$3,061	Boating 10/2005			
iovněne (0) our Winns (2)	Sea Ray	185	18'0"	SD	3.0L	135hp M	erc	42.90	-6.5	3.8	-33%	\$2,749	Boating 08/2004			
lastron (5) anum (3)	Sea Ray	185	18'6"	SD	3.0L	135hp M	erc	39.00	-10.4	4.2	-27%	\$2,530	Boattest.com 01/200			
lonterey (1) egal (0)																
inker (0) ea Ray (4)	Stingray	195 L	19'5"	SD	4.3L 2	220hp M	erc	60.90		5.1		\$2,047	Mercury 11/2003			
tingray (9) ahoe (D)	Stingray	195 LX	19'6"	SD	4.3L 1	190hp Vo	olvo	56.20	-4.7	4.9	-5%	\$2,156	Boattest.com 12/2008			
felicraft (D) ryant (D)	Regal	1900	19'9"	SD	4.3L 2	25hp Vo	olvo	54.70	-6.2	4.6	-10%	\$2,283	Trailer Boats 03/2006			
otal Records: 33	Glastron	GT 205	19'4"	SD	5.0L 2	220hp Vo	olvo	52.70	-8.2	4.0	-22%	\$2,625	Boating 01/2007			
otal Records: 33	Four Winns	20	19'6"	SD	5.0L 2	270hp Vo	olvo	52.00	-8.9	3.5	-32%	\$3,009	Motorboat 10/2005			
rive Type	Bayliner	204 Ski N Fish	20'0"	SD	5.0L 2	220hp M	erc	49.50	-11.4	3.4	-34%	\$3,116	Boating 10/2008			
tem Drive 🗡	Bayliner	195	19'0"	SD	4.3L 2	220hp M	erc	49.20	-11.7				Boating 04/2010			
	Larson	Escape 204	20'1"	SD	5.0L 2	220hp Vo	olvo	49.10	-11.8	3.2	-38%	\$3,281	Boattest.com 06/2010			
ength √+/- 1'	Glastron	GLS 195	19'4"	SD	4.3L 1	190hp Vo	olvo	47.80	-13.1	3.8	-26%	\$2,763	Boattest.com 09/2008			
orsepower 120-225 v	Tahoe	Q5i Sport	19'5"	SD	4.3L	190hp M	erc	45.80	-15.1	4.6	-10%	\$2,283	Boattest.com 09/2008			
isplacement at v	Hurricane	Sundeck 195 I/O	18'10"	SD	4.3L 2	220hp M	erc	45.50	-15.4	4.0	-22%	\$2,625	Go Boating 07/2007			
	Chaparral	196 SSi Wide Tech	19'6"	SD	4.3L	190hp M	erc	45.20	-15.7				Boating Life 01/2009			
	Four Winns	H190	18'6"	SD	4.3L 2	225hp Vo	olvo	45.10	-15.8	4.3	-17%	\$2,471	Boattest.com 03/2008			
uel Test Only	Tahoe	Q51	19'5"	SD	4.3L	190hp M	erc	45.00	-15.9				Boating 04/2010			

Tests in this database are the property and opinion of the test source shown. iBoatInfo.com • Copyright 2011 • Terms & Conditions • Help

## iBoatInfocom

Home	Performance	Comparison Tool			1	inks		V	What's My Boat Worth?					
lanufacturers	Manufacturer	Boat Model	LOA	Drive Type	Size Eng	ine Make	Max Speed	mph diff	mpg @ 30 mph	mpg diff	\$\$ per 100 hrs*	Info Source		
	Stingray	208 LR	20'8"	SD	4.3L 220	hp Merc	55.20		5.0		\$2,100	Mercury 10/2010		
trivator (2) trive Thunder (3)	Bayliner	Discovery 210	20'9"	SD	4.3L 220	hp Merc	50.60	-4.6	4.5	-10%	\$2,333	Boating 03/2007		
deruline (2) dvantage (41) bemate (2)	Bayliner	205 Bowrider	20'5"	SD	4.3L 220	hp Merc	49.50	-5.7	4.3	-14%	\$2,442	Boattest.com 11/20		
buy (1) oha (10)	Bryant	214 WT	21'4"	SD	5.7L 300	hp Merc	53.40	-1.8	3.4	-32%	\$3,097	Trailer Boats 06/20		
ina (1) macraft (7)	Four Winns	203 Fish n Ski	19'6"	SD	5.0L 270	np Volvo	52.70	-2.5	4.3	-14%	\$2,453	Trailer Boats 04/20		
irrently Selected	Four Winns	210 Horizon SS	20'10"	SD	5.7L 320	np Volvo	52.00	-3.2	4.1	-18%	\$2,561	Go Boating 07/200		
yliner (7)	Glastron	GT 205	20'8"	SD	5.0L 220	np Volvo	53.00	-2.2	3.7	-26%	\$2,823	Boattest.com 05/20		
ravelle (1) apanal (0)	Glastron	GXL 205 SF	19'11"	SD	5.0L 220	np Volvo	54.00	-1.2	4.0	-20%	\$2,625	Boattest.com 03/20		
ventine (0) ur Winns (2)	Larson	Escape 204	20'1"	SD	5.0L 220	np Volvo	49.10	-6.1	3.2	-36%	\$3,281	Boattest.com 06/20		
istron (5) prum (3)	Monterey	214 FS	21'0"	SD	5.0L 220	hp Merc	46.40	-8.8	3.5	-30%	\$3,000	Boattest.com 10/20		
nterey [T] pal (D)	Regal	2100 RX	21'0"	SD	5.7L 300	np Volvo	52.30	-2.9	3.7	-26%	\$2,838	Boattest.com 08/20		
ker (0) a Ray (4)	Sea Ray	210 Select	21'0"	SD	5.7L 300	hp Merc	52.00	-3.2				Go Boating 01/20		
gray (9) ice (0)	Sea Ray	205 Sport	21'0"	SD	5.0L 260	hp Merc	52.90	-2.3	4.1	-18%	\$2,567	Boating 12/2007		
Recalt (0) ant (0)	Tahoe	Q7i SF	20'6"	SD	4.3L 190	hp Merc	48.00	-7.2	4.4	-11%	\$2,365	Trailer Boats 09/20		
tal Records: 33	Tahoe	Q7 SSi	20'6"	SD	5.0L 260	hp Merc	52.80	-2.4	4.2	-17%	\$2,530	Trailer Boats 06/20		
ive Type	Stingray	215 LR	21'11"	SD	5.0L 260	hp Merc	55.20		4.5		\$2,344	Mercury 10/2010		
em Drive 💙	Stingray	215 CR	21'11"	SD	5.0L 260	hp Merc	54.70	-0.5	4.2	-7%	\$2,512	Mercury 10/2010		
and the second	Sea Ray	205 Sport	21'0"	SD	5.0L 260	hp Merc	52.90	-2.3	4.1	-9%	\$2,567	Boating 12/2007		
ngth	Tahoe	Q7 SSi	20'6"	SD	5.0L 260	hp Merc	52.80	-2.4	4.2	-7%	\$2,530	Trailer Boats 06/20		
rsepower 190-300 V	Bayliner	Discovery 215	20'9"	SD	5.0L 220	hp Merc	52.30	-2.9	3.3	-25%	\$3,144	Trailer Boats 06/20		
splacement at v	Regal	2100 RX	21'0"	SD	5.7L 300	np Volvo	52.30	-2.9	3.7	-17%	\$2,838	Boattest.com 08/20		
te Last 5 years V	Sea Ray	210 Sundeck	22'0"	SD	5.7L 300	hp Merc	52.10	-3.1	3.5	-22%	\$3,009	Trailer Boats 02/20		
el Test Only	Glastron	DX 235	22'6"	SD	5.7L 300	hp Merc	51.90	-3.3	3.7	-17%	\$2,838	Boattest.com 12/20		
set to default	Chaparral	226 SSi	22'6"	SD	5.7L 300	hp Merc	51.10	-4.1	3.3	-27%	\$3,201	Boating 03/2009		
	Crownline	210 LS	21'6"	SD	5.0L 260	hp Merc	50.90	-4.3	3.6	-21%	\$2,949	Trailer Boats 05/20		
	Four Winns	220 Horizon SS	22'0"	SD	5.7L 280	np Volvo	49.30	-5.9	3.4	-24%	\$3,088	Trailer Boats 08/20		
	Bayliner	225 Runabout	22'6"	SD	5.0L 260	hp Merc	49.00	-6.2	3.4	-24%	\$3,088	Boattest.com 12/20		
	Glastron	GLS 215	21'4"	SD	5.0L 220	np Volvo	48.70	-6.5	3.7	-17%	\$2,838	Boattest.com 10/20		
	Larson	218 LXi	21'0"	SD	5.0L 260	hp Merc	48.10	-7.1	3.7	-17%	\$2,838	Boating 04/2009		
Operating costs for each boat	Monterey	214 FS	21'0"	SD	5.0L 220		46.40	-8.8	3.5	-22%	\$3,000	Boattest.com 10/20		

Tests in this database are the property and opinion of the test source shown. iBoatInfo.com • Copyright 2011 • Terms & Conditions • Help



cost of \$3.50 per gallon.

Home	Performance Comparison Tool				Links ▼			V	What's My Boat Worth?				
anufacturers	Manufacturer	Boat Model	LOA	Drive Type	Size	Engine HP	Make	Max Speed	mph diff	mpg @ 30 mph	mpg diff	\$\$ per 100 hrs*	Info Source
^	Stingray	225 LR	22'11"	SD	5.7L	300hp	Volvo	60.60		4.4		\$2,397	Volvo Penta 10/200
iivator (2) iive Thunder (3)	Stingray	225 SX	22'11"	SD	5.7L	320hp	Volvo	62.50	1.9	4.7	6%	\$2,253	Volvo Penta 10/201
renaine (2) vancage (41)	Regal	2100 RX	21'0"	SD	5.7L	300hp	Volvo	52.30	-8.3	3.7	-16%	\$2,838	Boattest.com 08/200
emade (2) outy (1) sha (10)	Chaparral	226 SSi	22'6"	SD	5.7L	300hp	Merc	51.10	-9.5	3.3	-25%	\$3,201	Boating 03/2009
ha (1) macraft (7)	Cobalt	230	23'0"	SD	5.7L	300hp	Volvo	50.20	-10.4	3.4	-21%	\$3,052	Boating 03/2009
rrently Selected	Bayliner	225	22'6"	SD	5.0L	260hp	Merc	49.90	-10.7	3.7	-16%	\$2,838	Boating 09/2008
liner (7)	Four Winns	SL222	22'6"	SD	5.7L	300hp	Volvo	47.80	-12.8	3.4	-22%	\$3,088	Trailer Boats 03/200
avelle (1) sparal (0)	Monterey	220 EX	22'3"	SD	5.0L	260hp	Merc	47.20	-13.4	2.5	-43%	\$4,200	Boating 01/2008
vnline (0) r Winns (2)	Tahoe	225	22'5"	SD	5.0L	220hp	Merc	43.70	-16.9	2.7	-38%	\$3,889	Go Boating 01/200
stron (6) sum (3)	Sea Ray	230 Select	23'0"	SD	5.7L	300hp	Merc	41.80	-18.8	2.8	-36%	\$3,737	Boating 02/2008
terey (1) al (0)													
er (0) Ray (4)	Stingray	235LR	23'11"	SD	5.7L	320hp	Volvo	58.30		4.7		\$2,258	Trailer Boats 07/20
gray (9) pe (0)	Monterey	234 FSX	24'0"	SD	6.2L	320hp	Merc	53.60	-4.7	3.2	-31%	\$3,281	Trailer Boats 04/20
oraft (D) mt (D)	Sea Ray	230 Select	23'7"	SD	5.7L	300hp	Merc	52.20	-6.1	3.2	-31%	\$3,281	Trailer Boats 07/20
tal Records: 33	Regal	2300	24'0"	SD	5.7L	300hp	Volvo	51.00	-7.3	3.4	-27%	\$3,088	Boating 02/2010
ai Records: 33	Sea Ray	230 Sundeck	24'1"	SD	5.7L	300hp	Merc	50.40	-7.9	3.0	-35%	\$3,500	Boating 04/2009
ve Type	Cobalt	230	23'0"	SD	5.7L	300hp	Volvo	50.20	-8.1	3.4	-26%	\$3,052	Boating 03/2009
V	Sea Ray	240 Sundeck	24'1"	SD	5.7L	300hp	Merc	48.90	-9.4	3.4	-27%	\$3,088	Trailer Boats 07/20
	Glastron	GLS 235`	23'9"	SD	5.7L	320hp	Volvo	47.40	-10.9	2.3	-51%	\$4,626	Boattest.com 11/20
ngth +/- 1'	Larson	Escape 234	23'7"	SD	5.7L	280hp	Volvo	46.50	-11.8	3.2	-31%	\$3,281	Boattest.com 08/20
rsepower 115-320 V	Glastron	GT 249	24'0"	SD	5.0L	270hp	Volvo	44.40	-13.9	3.2	-31%	\$3,281	Trailer Boats 06/20
placement													
	Stingray	204 LR	20'4"	ОВ	1.7L	115hp \	′amaha	44.20		5.2		\$2,031	Yamaha 4/2011
	Nauticstar	205 DC	20'0"	ОВ	1.7L	115hp \	′amaha	40.90	-3.30	4.8	-6%	\$2,169	Yamaha 6/2006
el Test Only	Southwind	200 SD	20'6"	ОВ	1.7L	115hp \	′amaha	36.60	-7.60	4.6	-10%	\$2,263	Yamaha 8/2010
et to derault	Hurricane	SD Sport 201	20'1"	ОВ	1.7L	115hp \	′amaha	35.20	-9.00	4.3	-17%	\$2,453	Yamaha 6/2009
						•							
	Stingray	214 LR	21'8"	ОВ	2.7L	150hp \	⁄amaha	48.30		4.6		\$2,293	Yamaha 4/2011
	Southwind	212 SD	20'6"	ОВ	2.7L	150hp \	⁄amaha	44.00	-4.30	4.4	-4%	\$2,386	Yamaha 8/2010
	Nauticstar	210 DC	21'0"	ОВ	2.7L	150hp \	⁄amaha	43.10	-5.20	4.1	-12%	\$2,593	Yamaha 7/2010
Operating costs for each boat	Hurricane	Sundeck 217	20'10"	ОВ	2.7L		⁄amaha	42.20	-6.10	3.8	-17%	\$2,770	Yamaha 7/2010

Tests in this database are the property and opinion of the test source shown. iBoatInfo.com • Copyright 2011 • Terms & Conditions • Help



Your Stingray Dealer

## **STINGRAY BOATS**625 Railroad Avenue, Hartsville SC 29550

Phone: 843-383-4507

Visit StingrayBoats.com for additional and up-to-date information.

#### **WARRANTY INFORMATION**

All Stingray warranties are limited warranties within the meaning of Title 1 of the Federal Trade Commission Improvement Act. A full statement of coverage, terms, and conditions applying to the Stingray warranty has been furnished to all Stingray dealers. In addition, information is supplied with each new boat. Please read carefully the terms and conditions provided in Stingray's Express Limited Warranty accompanying the sale of your boat. The actual length of warranty coverage for your boat may vary depending on the date of original manufacture and sale date of your boat.

#### **ABOUT THIS BROCHURE**

Only a partial list of standard equipment is shown; some boats are shown with optional accessories. Styling, design, equipment, prices, colors, and construction are subject to change without notice or obligation. To avoid disappointment, please check with your Stingray dealer or visit StingrayBoats.com for current information at the time of purchase.

#### **FIND US ONLINE**

stingrayboats.com mystingray.com stingrayboats.com/store facebook.com/stingrayboats twitter.com/stingrayboats youtube.com/stingrayboats





O

9

J

 $\Box$ 

O

0

N

0